




Safety Data Sheet

CONTACTS CLEANER

Safety Data Sheet dated 17/6/2015, version 3.7.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking



Scheda di sicurezza del 17/6/2015, revisione 3.7.1 Page n. 1 of 7



Safety Data Sheet CONTACTS CLEANER Hazardous components within the meaning of CLP regulation and related classification: >= 50% - < 60% Paraffinic hydrocarbons REACH No.: 01-2119474199-26, Index number: 604-001-02-5, CAS: 124-18-5, EC: 204-686-4 ↓ 2.6/3 Flam. Liq. 3 H226 ↓ 3.10/1 Asp. Tox. 1 H304 >= 40% - < 50% Hydrocarbons, C3-4 REACH No.: 01-2119486557-22, Index number: 649-199-00-1, CAS: 68476-40-4, EC: 270-681-9 substance with a Community workplace exposure limit ↓ 2.5 Press. Gas H280 ↓ 2.2/1 Flam. Gas 1 H220 Note K*

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

- In case of skin contact:
- Wash with plenty of water and soap.
- In case of eyes contact:
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- In case of Ingestion:
- N.A. as aerosol preparation.
- In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media:
- CO2 or Dry chemical fire extinguisher.
- Extinguishing media which must not be used for safety reasons:
- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment.
 - Remove all sources of ignition.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it.
 - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.

Scheda di sicurezza del 17/6/2015, revisione 3.7.1



6.4. Reference to other sections See also section 8 and 13

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Pressurized container. Do not perforate or burn even after use. Do not use near fire or other possible sources of ignition. During work phase do not smoke. Avoid contact with skin and eyes, inhalation of vapours and mists. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. 7.2. Conditions for safe storage, including any incompatibilities Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed. Incompatible materials: None in particular. See also section number 10 Instructions as regards storage premises: Cool and adequately ventilated. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters Paraffinic hydrocarbons - CAS: 124-18-5 TLV TWA - 1200 mg/m3 (8h) Hydrocarbons, C3-4 - CAS: 68476-40-4 TLV TWA - 1000 ppm (2400mg/m3) TLV STEL - 4000 ppm (9600mg/m3) **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eve protection: Wear goggles with lateral protection EN166. If exposure to vapours cause a sense of bother to eyes, use antigas mask with complete facial. Protection for skin: It is not necessary in case of brief contact except for wearing antistatic clean and covering garments. In case of long and frequent contact use protective and waterproof garments to this material. Choosing specific protection as peak, gloves, boots, overalls depends on the type of operations. Protection for hands: During normal manipulation it is not necessary a particular protection. In case of frequent contacts protect hands with gloves resistant to solvents (PVC,PE, neoprene, not natural rubber). Respiratory protection: The levels of air concentration should be maintained under the exposure limits. If inhalation are over exposure limit use a supplied air respirator with cartridge filter. Filter type EN 141. Thermal Hazards: None

Environmental exposure controls:

9.1

Keep the container and use the product only in well ventilated place. A located ventilation may be necessary for some operations.

SECTION 9: Physical and chemical properties

1. Information on basic physical and chemical properties		
Appearance and colour:	Pressurized container with liquefied gases	
Odour:	Characteristic	
Odour threshold:	N.A.	
pH:	N.A.	
Melting point / freezing point:	N.A.	
Initial boiling point and boiling range:	N.A.	
Solid/gas flammability:	N.A.	

Scheda di sicurezza del 17/6/2015, revisione 3.7.1 Page n. 3 of 7



Upper/lower flammability or explosive li Vapour density:	mits: N.A. 2	
Flash point:	< 0 ° C	
Evaporation rate:	N.A.	
Vapour pressure:	3-5 bar	
Relative density:	N.A.	
Solubility in water:	Not soluble	
Solubility in oil:	Yes	
Partition coefficient (n-octanol/water):	N.A.	
Auto-ignition temperature:	> 400°C	
Decomposition temperature:	N.A.	
Viscosity:	N.A.	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	
9.2. Other information		
Miscibility:	N.A.	
Fat Solubility:	N.A.	
Conductivity:	N.A.	
Substance Groups relevant properties	N.A.	

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid
- Keep away from sunlight, overheating. Keep at temperature not exceeding 50°C. Keep away from oxidant agents. 10.5. Incompatible materials
- Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the mixture: N.A. Toxicological information of the main substances found in the mixture: Paraffinic hydrocarbons - CAS: 124-18-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: OECD TG401 Test: LC50 - Route: Inhalation - Species: Rat > 5000 mg/m3 - Duration: 8h - Source: OECD TG403 Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: OECD TG402 b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin - Species: Rabbit Negative c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Negative If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.: a) acute toxicity; b) skin corrosion/irritation; c) serious eye damage/irritation; d) respiratory or skin sensitisation; e) germ cell mutagenicity; f) carcinogenicity; g) reproductive toxicity; h) STOT-single exposure; i) STOT-repeated exposure; i) aspiration hazard.

SECTION 12: Ecological information

Scheda di sicurezza del 17/6/2015, revisione 3.7.1 Page n. 4 of 7



12.1. Toxicity

- Adopt good working practices, so that the product is not released into the environment.
- It doesn't contain CHLORINE-FLUORINE-CARBIDE.
- Paraffinic hydrocarbons CAS: 124-18-5

a) Aquatic acute toxicity:

- Endpoint: LC50 Species: Fish > 100 mg/l Duration h: 96 Notes: Oncorhynchus Mykiss (Trota iridea) Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia Magna
- Endpoint: EC50 Species: Algae > 100 mg/l Duration h: 72 Notes: Pseudokirchneriella subcapitata 12.2. Persistence and degradability
- None

N.A.

- 12.3. Bioaccumulative potential
- N.A.
- 12.4. Mobility in soil
- N.A.
- 12.5. Results of PBT and vPvB assessment
- vPvB Substances: None PBT Substances: None 12.6. Other adverse effects
 - .6. Other adverse eff None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Aerosol container can explode at temperature Above 50°C if contains little gas residue. Spray all the aerosol content before disposal. The product has to be considered: special dangerous disposal.
 - Waste disposal key:

The aerosol as a domestic waste is excluded from the application of such a normative for industrial activity, the empty aerosol for professional use can be classified as follow: 15.01.10: packaging containing residues of dangerous substances or residues contaminated by these substances.

SECTION 14: Transport information

	14.1. UN number	
	ADR-UN number:	1950
	IATA-Un number:	1950
	IMDG-Un number:	1950
	14.2. UN proper shipping name	
	ADR-Shipping Name:	AEROSOLS, Flammable
	IATA-Technical name:	AEROSOLS, Flammable
	IMDG-Technical name:	AEROSOLS
	Limited Quantity: max 1000ml Total gro	oss mass of package not exceed 30 kg LQ2
	14.3. Transport hazard class(es)	
	ADR-Class:	2, 5F
	ADR-Label:	<un1950 aerosols=""></un1950>
	IATA-Class:	2.1
	IATA-Label:	<un1950 aerosols=""></un1950>
	IMDG-Class:	2
	14.4. Packing group	
	14.5. Environmental hazards	
	Marine pollutant:	No
	14.6. Special precautions for user	
	IMDG-Technical name:	AEROSOLS
Limited Quantity: max 1000ml Total gross mass of package not exceed 30 kg LQ2		
	IMDG-EMS:	F-D
	IMDG-MFAG:	S-U
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
	N.A.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)

Scheda di sicurezza del 17/6/2015, revisione 3.7.1 Page n. 5 of 7



Safety Data Sheet

CONTACTS CLEANER

Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013, Regulation (EU) n. 453/2010 (Annex I)

Regulation (EU) n. 286/2011 (ATP 2 CLP), Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP), Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H280 Contains gas under pressure; may explode if heated.

H220 Extremely flammable gas.

Classification of substances according to 1272/2008/CE (CLP-GHS) and further ATP and Regulation 790/2009/CE. SDS drafted in accordance with 1907/2006/CE REACH and 453/2010/CE.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended. This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS: IATA:	Globally Harmonized System of Classification and Labeling of Chemicals. International Air Transport Association.
IATA.	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.

Scheda di sicurezza del 17/6/2015, revisione 3.7.1 Page n. 6 of 7



TLV: TWATLV: WGK: Threshold Limiting Value. Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). German Water Hazard Class.